

DARE TO DESIGN...

Valcourt

The Fireplace of Your Dreams



FP10 EPA LAFAYETTE
HIGH EFFICIENCY WOOD
BURNING FIREPLACE WITH
CROWN STYLE FACEPLATE AND
BRUSHED NICKEL PLATED
DOOR OVERLAY

1,50\$
2010 Version

SUMMARY

Factory-built decorative wood burning fireplaces



FP1	3
FP2	4
FP5	5
FP6	6
FP7	7

Factory-built high efficiency wood burning fireplaces

FP8	8
FP9	9
FP10	10



Technical data	11
----------------------	----

Decorative fireplaces :

Mid-efficiency decorative fireplaces :

High efficiency fireplaces :



Some tax credits may apply to our appliances. Visit www.valcourtinc.com for more details.

For more information regarding the lifetime warranty of our glass, visit our web site at <http://www.valcourtinc.com/warranty-registration.aspx>

The Manoir is an up-to-date version of our original fireplace. The ceramic glass fireplace doors slide into each side of the fireplace in one smooth, easy motion. No positioning locks, no special tools, no sweat. Evidence that a Valcourt fireplace door is second to none. The doors make a Valcourt fireplace special but the quality doesn't stop there. Each Valcourt fireplace is manufactured with heavy duty construction. How's that for your peace of mind. A solid luxury that will provide years of relaxation for you and your family.

FP1 - MANOIR



This appliance is


FP1 Manoir - Decorative wood burning fireplace with classic style doors and large overlap



FP1 Manoir - Decorative wood burning fireplace with modern style doors and narrow brushed nickel plated overlap



Modern style doors



Classic style doors

FEATURES

- Firebox volume of 4.25 cu. ft.
- Two styles of retractable ceramic glass doors
- Rigid fire screen doors
- Tilt up cast iron grate
- Moulded refractory bricks
- Thermostatically operated blower with variable speed control
- Requires an 8" chimney

OPTIONS

- Narrow overlap ; painted black, antique brass plated or brushed nickel plated
- Large overlap ; painted black
- Hot air gravity kit
- Forced air kit

Imagine yourself sitting on your sofa or perhaps in your bathtub, sipping your favorite beverage and watching the open fire as it dances, snaps and crackles in your Beaumont fireplace. What a delightful way to get rid of your day's stress. So get your fireplace installed, relieve your stress and experience a good night's sleep. Ahhh... now doesn't that feel better ?



FP2 - BEAUMONT



This appliance is


FP2 Beaumont - Decorative wood burning fireplace with modern style folding doors and large overlap

FEATURES

- _____ Firebox volume of 3.0 cu. ft.
- _____ Two styles of ceramic glass doors
- _____ Rigid fire screen doors
- _____ Tilt up cast iron grate
- _____ Moulded refractory bricks
- _____ Thermostatically operated blower with variable speed control
- _____ Requires a 7" chimney

OPTIONS

- _____ Narrow overlap ; painted black, antique brass plated or brushed nickel plated
- _____ Large overlap ; painted black
- _____ Hot air gravity kit
- _____ Forced air kit



FP2 Beaumont - Decorative wood burning fireplace with modern style folding doors and narrow brushed nickel plated overlap

Modern style doors



Modern style folding doors



So what's better than a Valcourt fireplace in one room ? How about a Valcourt fireplace that has a face in two rooms at the same time. A double sided Valcourt fireplace. That is what the Westmount gives to the Valcourt line. Great in a master suite between the bedroom and bathroom. Very romantic. Or how about between a dining room and a living room ? Or maybe between a dining room and a kitchen. Whatever or wherever you desire a see-through fireplace, the Westmount is there for you. Enjoy the fire wherever you may happen to be.

FP5 - WESTMOUNT



This appliance is
**EPA
exempt**

FP5 Westmount - Decorative wood burning fireplace with modern style folding doors and black narrow overlap



FP5 Westmount - Decorative wood burning fireplace with modern style folding doors and black narrow overlap



Modern style doors



Modern style folding doors

FEATURES

See-through fireplace

Firebox volume of 3.5 cu. ft.

Two styles of ceramic glass doors

Second side with fixed ceramic glass

Rigid fire screen doors

Cast iron grate

Moulded refractory bricks

Requires an 8" chimney

OPTIONS

Narrow overlap ; painted black, antique brass plated or brushed nickel plated

Large overlap ; painted black

Blower with variable speed control

Marquis de Montcalm was the son of a nobleman. Ironic, isn't it, that the Montcalm fireplace by Valcourt is a fireplace for the budget conscious among us. Budget conscious and just plain smart, the Montcalm has the same heavy duty construction as the rest of the Valcourt line. The same standard firescreen door. The same gas log adaptability. The same great looks. What's the main difference ? The glass door comes equipped with tempered glass. So leave it open and let it burn... Just beautiful !



FP6 - MONTCALM



FP6 Montcalm - Decorative wood burning fireplace

FEATURES

- Firebox volume of 3.0 cu. ft.
- Black front
- Grey tempered glass doors
- Rigid fire screen doors
- Tilt up cast iron grate
- Moulded refractory bricks
- Requires a 7" chimney

OPTIONS

- Blower with variable speed control



FP6 Montcalm - Decorative wood burning fireplace



FP6 Montcalm - Decorative wood burning fireplace


This Valcourt fireplace is special because it has a guillotine door that disappears to allow you to load wood on the fire or relax with the crackle of the open fireplace. The firescreen is also on a guillotine mechanism so you can close it when the ceramic glass door is open. Why Antoinette ? Well let's face it, there is really no positive historical reference for a guillotine, until now. The guillotine door and clean face give you the flexibility to design your fireplace in any way that suits you. The Antoinette is a truly versatile fireplace and is all about giving you the ability to design your fireplace exactly how YOU want it to be. Dare to design... the fireplace of your dreams.

FP7 - ANTOINETTE



This appliance is

FP7 Antoinette - Decorative wood burning fireplace with guillotine door and narrow overlap



Cast iron andirons



FP7 Antoinette - Decorative wood burning fireplace with guillotine door and masonry trim



FP7 Antoinette - Decorative wood burning fireplace with guillotine door and narrow overlap

FEATURES

- _____ Firebox volume of 5.0 cu. ft.
- _____ Guillotine ceramic glass door
- _____ Guillotine rigid fire screen door
- _____ Cast iron andirons
- _____ Moulded refractory bricks
- _____ Requires an 8" chimney

OPTIONS

- _____ Narrow overlap ; painted black
- _____ Masonry trim

The Saguenay fireplace is a superb heater. The natural flow heat ducts attach to the top of the fireplace and move the heat from the room where the fireplace resides to another totally different room in the house. Or consider tying the fireplace into your furnace's ducting system* and move the heat through the whole house. The door easily and smoothly folds back into the side of the fireplace. The Saguenay is a complete "chill out while you stay warm" fireplace. The Saguenay has tons of features that make it the perfect choice. On the aesthetic side, and always the Valcourt way, it features design versatility with three very different faceplates so you can choose which style would best suit your home. There is a very traditional looking cast iron faceplate, a far more contemporary cast iron faceplate and last but not least, a super modern steel faceplate. Three different styles and a fireplace that is... a superb heater.



FP8 - SAGUENAY



**Door
overlay
system**



**Certain local building codes may impose restrictions.*

FP8 Saguenay - High efficiency wood burning fireplace with steel faceplate and gold plated door overlay



Cast iron andiron

FEATURES

- Firebox volume of 2 cu. ft.
- Controlled combustion
- Retractable cast iron door
- Cast iron andiron
- Moulded refractory bricks
- E.P.A. certified at 3.96 g/hr.
- Requires a 6" chimney

OPTIONS

- Cast iron door overlay ; painted black, gold plated or brushed nickel plated
- Rigid fire screen
- Steel faceplate - painted black
- Traditional cast iron faceplate - painted black
- Contemporary cast iron faceplate - painted black
- Thermostatically operated blower with variable speed control
- Hot air gravity kit
- Forced air kit



FP8 Saguenay - High efficiency wood burning fireplace with traditional cast iron faceplate and brushed nickel plated door overlay



FP8 Saguenay - High efficiency wood burning fireplace with contemporary cast iron faceplate and brushed nickel plated door overlay

At Valcourt, we think of our newly introduced Versailles fireplace as the «Duchess of all fireplace heaters». In fact, consider just how much heat this fireplace will generate and you will understand the nickname. The heat is “tremendous” and so is the fireplace itself with a ceramic glass door the size of which has never been seen in an EPA rated fireplace. With the Versailles fireplace, think glass door size and think...HEAT. Furthermore, like the FP8, the FP9 can be connected to your furnace’s ducting system*. The palace at Versailles is a building of incredible beauty and grandeur. It has been home to the most influential people in French aristocracy over many centuries. We believe this palatial fireplace will warm both your heart and your home. Our Versailles zero clearance heater is truly a “Duchess among fireplaces”.

FP9 - VERSAILLES



*Certain local building codes may impose restrictions.

FP9 Versailles - High efficiency wood burning fireplace with black doors

Cast iron andirons



FP9 Versailles - High efficiency wood burning fireplace with black doors



FP9 Versailles - High efficiency wood burning fireplace with black doors

FEATURES

- Firebox volume of 3.5 cu. ft.
- Controlled combustion
- Cast iron andirons
- E.P.A. Certified at 4.2 g/hr.
- Moulded refractory bricks
- Requires an 8" chimney

OPTIONS

- Cast iron door assembly ; painted black (ordered and sold separately)
- Thermostatically operated blower with variable speed control
- Hot air gravity kit
- Forced air kit

Lafayette, the French officer and hero of the American Revolution, inspired us to create our newest high efficiency fireplace. As the great general, Valcourt used its tactical skills in developing the Lafayette fireplace so it provides home heating with superb efficiency and elegance. Further to offering a revolutionary look, Lafayette meets the highest EPA emissions requirements, making it the fireplace of choice for the new generation of consumers who want to use wood as a renewable and clean source of heat.



FP10 - LAFAYETTE

**NEW
PRODUCT**



This appliance is
EPA ≤ 4.5
g/h
& Washington State Approved

**Certain local building codes may impose restrictions.*

FP10 Lafayette - High efficiency wood burning fireplace with brushed nickel plated crown style faceplate and brushed nickel plated door overlay

FEATURES

- Firebox volume of 2.5 cu. ft.
- Controlled combustion
- Thermostatically operated 150 CFM twin blower included
- EPA Certified at 4.4 g/hr
- Moulded refractory bricks
- Requires a 6" chimney*

*This high efficiency wood burning fireplace may also be installed with a 7" chimney. See owner's manual for more details.

OPTIONS

- Steel door overlay; painted black, gold plated or brushed nickel plated
- Victoria style faceplate - painted black. Crown style faceplate - painted black, brushed nickel plated or gold plated
- Rigid firescreen
- 3" adapter for fresh air kit
- Hot air gravity kit
- Forced air kit



FP10 Lafayette - High efficiency wood burning fireplace with Victoria style faceplate and gold plated door overlay



FP10 Lafayette - High efficiency wood burning fireplace with crown style faceplate and brushed nickel plated door overlay

TECHNICAL DATA

MODELS		FP1	FP2	FP5	FP6	FP7	FP8	FP9	FP10	
Color	Black	Black	Black	Black	Black	Black	Black	Black	Black	
Combustion technology	Non-Catalytic	Non-Catalytic	Non-Catalytic	Non-Catalytic	Non-Catalytic	Non-Catalytic	Non-Catalytic	Non-Catalytic	Non-Catalytic	
Maximum recommended area (with forced air kit)	N/A	N/A	N/A	N/A	N/A	N/A	1900 sq. ft.	2800 sq. ft.	2000 sq. ft.	
Heating capacity - BTU/hr., EPA test wood	N/A	N/A	N/A	N/A	N/A	N/A	36,900	69,500	30,500	
Heating capacity - BTU/hr., seasoned cord wood	N/A	N/A	N/A	N/A	N/A	N/A	65,000	120,000	75,000	
Emissions, weighted average according to EPA tests	N/A	N/A	N/A	N/A	N/A	N/A	3.96 g./h.	4.2 g./h.	4.4 g./h.	
Optimum efficiency	N/A	N/A	N/A	N/A	N/A	N/A	75%	75%	77%	
Door opening dimensions (W x H)	32" x 19"	28 1/4" x 15 1/2"	28 1/4" x 14"	28 1/4" x 15 1/2"	28 1/4" x 15 1/2"	33 1/2" x 22 3/4"	21 3/4" x 12 1/2"	30" x 13 1/4"	25 1/4" x 11"	
Firebox dimensions (W x D)	30" x 14 5/8"	26 1/4" x 14 1/4"	26 1/2" x 15"	26 1/4" x 14 1/4"	26 1/4" x 14 1/4"	31 1/2" x 15 3/4"	22 1/2" x 14 3/8"	28" x 15"	21" x 18"	
Firebox volume (excluding andirons)	4.25 cu. ft.	3 cu. ft.	3.5 cu. ft.	3 cu. ft.	3 cu. ft.	5 cu. ft.	2 cu. ft.	3.5 cu. ft.	2.5 cu. ft.	
Glass viewing area	534 sq. in.	495 sq. in.	572 sq. in.	495 sq. in.	495 sq. in.	632 sq. in.	277 sq. in.	475 sq. in.	275 sq. in.	
Door type	Double, with steel frame	Double, with steel frame	Double, with steel frame	Double, with steel frame	Double, with steel frame	Guillotine, with steel frame	Single, retractable with cast iron frame	Double, with cast iron frame	Single, with steel frame	
Maximum log length	18"	16"	18"	16"	16"	18"	16"	18"	21"	
Log positioning	East/West	East/West	East/West	East/West	East/West	East/West	East/West	East/West	East/West	
Flue spigot diameter	8"	7"	8"	7"	8"	8"	6"	8"	6**	
Minimum chimney height (from floor)	15'	15'	15'	15'	15'	15'	15'	15'	15'	
Glass type	Ceramic glass	Ceramic glass	Ceramic glass	Tempered glass	Ceramic glass	Ceramic glass	Ceramic glass	Ceramic glass	Ceramic glass	
Exterior air intake (diameter)	Yes (4")	Yes (4")	Yes (4")	Yes (4")	Yes (4")	Yes (4")	Yes (4")	Yes (4")	Yes (3")	
Warranty	Limited lifetime	Limited lifetime	Limited lifetime	Limited lifetime	Limited lifetime	Limited lifetime	Limited lifetime	Limited lifetime	Limited lifetime	
Test standard - Safety	ULC S-610/UL127	ULC S-610/UL127	ULC S-610/UL127	ULC S-610/UL127	ULC S-610/UL127	ULC S-610/UL127	ULC S-610/UL127	ULC S-610/UL127	ULC S-610/UL127	
Test standard - Emissions	EPA Exempt	EPA Exempt	EPA Exempt	EPA Exempt	EPA Exempt	EPA Exempt	EPA Method 28	EPA Method 28	EPA Method 28	
Clearances to combustible materials										
Back wall	0"	0"	0"	0"	0"	0"	0"	0"	0"	
Sides	0"	0"	0"	0"	0"	0"	0"	0"	0"	
Floor	0"	0"	0"	0"	0"	0"	0"	0"	0"	
Combustible shelf (from base of fireplace)	48"	46"	46"	46"	46"	46"	51"	56"	58"	
Side mantle	0"	0"	0"	0"	0"	0"	0"	0"	4"	
Side wall	24"	24"	0"	24"	24"	0"	12"	24"	24"	
Non-combustible surround (top)	0"	0"	0"	0"	0"	27 1/4"	12"	12"	18"	
Non-combustible surround (sides)	0"	0"	0"	0"	0"	5 3/8"	0"	0"	4"	
Exterior dimensions and weight										
Height	44"	41 1/2"	40 3/4"	40 5/8"	40 5/8"	60 3/4"	34 5/16"	45 1/8"	38"	
Width	41"	38"	36 1/8"	40 1/4"	40 1/4"	45"	33"	42"	35"	
Depth	25 1/2"	24"	28 1/4"	24"	24"	25 11/16"	24 5/8"	23 5/8"	26"	
Weight	209 kg (460 lbs)	181 kg (400 lbs)	195 kg (430 lbs)	181 kg (400 lbs)	181 kg (400 lbs)	204 kg (450 lbs)	147 kg (325 lbs)	295 kg (650 lbs)	150 kg (330 lbs)	
Options										
Cast (from door(s), black (ordered and sold separately)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Standard	N/A	
Cast (from door overlay(s), painted black, gold plated or brushed nickel plated	N/A	N/A	N/A	N/A	N/A	N/A	Optional	Standard	N/A	
Steel door overlay(s), painted black, gold plated or brushed nickel plated	N/A	N/A	N/A	N/A	N/A	N/A	Optional	N/A	Optional	
Blower with variable speed	Standard	Standard	Optional	Optional	Optional	N/A	Optional	Optional	Optional	
Hot air gravity kit (diameter)	Optional (6")	Optional (7")	N/A	N/A	N/A	N/A	Optional (7")	Optional (7")	Optional (8")	
Forced air kit (diameter)	Optional (6")	Optional (6")	N/A	N/A	N/A	N/A	Optional (6")	Optional (6")	Optional (5")	
Fire screen kit	Standard	Standard	Standard	Standard	Standard	Standard	Optional	N/A	Optional	
MANUFACTURERS, BRANDS AND TYPES OF APPROVED CHIMNEYS										
MANUFACTURERS	BRANDS	TYPES	FP1	FP2	FP5	FP6	FP7	FP8	FP9	FP10
Selkirk	Ultra-Temp (UT)	1" Solid Pack	x	x	x	x	x	x	x	x
Selkirk	Super Pro (SPR)	1" Solid Pack	x	x	x	x	x	x	x	x
Selkirk	Super Vent (JSC)	1" Solid Pack	x	x	x	x	x	x	x	x
Selkirk	Hart & Cooley (TLC)	1" Solid Pack	x	x	x	x	x	x	x	x
Selkirk	Sure-Temp (ST)	1" Solid Pack	x	x	x	x	x	x	x	x
Selkirk	CF Semine (CF)	2" Solid Pack	x	x	x	x	x	x	x	x
Selkirk	Super Pro 2100 (ALT)	2" Solid Pack	x	x	x	x	x	x	x	x
Selkirk	Super Vent 2100 (JM)	2" Solid Pack	x	x	x	x	x	x	x	x
Security Chimney	ASHT+	1" Solid Pack	x	x	x	x	x	x	x	x
Security Chimney	S-2100	2" Solid Pack	x	x	x	x	x	x	x	x
Simpson Dura-Vent	Dura Tech	1" Solid Pack	x	x	x	x	x	x	x	x
Simpson Dura-Vent	Dura Plus HTC	2" Solid Pack	x	x	x	x	x	x	x	x
ICG	Excel 2100	1" Solid Pack	x	x	x	x	x	x	x	x
FMI (U.S.A. only)	AC	AC Triple Wall	x							
American Metal	Model HSS	AC Triple Wall								
American Metal	Model HS	AC Triple Wall								

Technical data contained in this catalogue are for reference only. Any installation must be done according to the data and drawings detailed in the Owner's manual. **May also be installed with a 7" chimney. See owner's manual for more details.